

URANOS 2000 SMC

URANOS 2000 SMC is the perfect welding power supply for simple, reliable and modern wire feed welding. It is particularly suitable for continuous processes typical of light and metal fabrication, shipbuilding, automotive repair and mechanical workshops.

- MIG/MAG - MMA - TIG DC L
- Single phase 1x230V
- greenWave® inverter technology
- Built-in wire feeder unit: 2 pulleys
- Integrated feeder for 200mm spools (5kg)
- Colour panel display
- Wire diameter: 0.6-1.2mm
- Synergistic programs: 19
- Weight: 12.8kg
- MIG/MAG Duty cycle - 40°C 35% - 200A 60% - 160A 100% - 130A
- Suitable for: Steel - Stainless Steel - Aluminum
- Applications:



Light workshop production

Construction

Maintenance and overhaul

Bodywork

Workshops

Sheet metal working

URANOS NX 2200 SMC

The URANOS NX 2200 SMC is the perfect welding power supply for simple, reliable and modern wire feed welding. It is particularly suitable for continuous processes typical of light metal fabrication, shipbuilding, automotive repair and mechanical workshops in general.

- MIG/MAG - MMA - TIG DC L
- Single phase 1x230V
- greenWave® inverter technology
- Built-in wire feeder unit: 4 pulleys
- Integrated feeder for 200/300mm spools (5/15kg)
- Compatible with WU cooling unit
- Wire diameter: 0.6-1.6mm
- Synergistic programs: 19 (smart)
- Weight: 22.4kg
- MIG/MAG Duty cycle - 40°C 35% - 220A 60% - 190A 100% - 180A
- Suitable for: Steel - Stainless Steel - Aluminum
- Applications:



Light workshop production

Construction / Shipyards / Railways / Road transport

Maintenance and overhaul

Bodywork

Workshops

Sheet metal working

URANOS NX 2700 SMC

URANOS NX 2700 SMC is the perfect welding power supply for simple, reliable and modern wire feed welding. It is particularly suitable for continuous processes typical of light metal fabrication, shipbuilding, car repair shops and mechanical workshops in general.

- MIG/MAG - MMA - TIG DC L
- Three-phase 3x230V-3x400V
- greenWave® inverter technology
- Welding programs (SMART)
- Built-in wire feeder unit: 4 pulleys
- Integrated feeder for 200/300mm coils (5/15kg)
- Compatible with WU cooling unit
- Wire diameter: 0.6-1.6mm
- Synergistic programs: 16 (smart)
- Weight: 23.7kg
- MIG/MAG Duty cycle - 40°C 45% - 270A 60% - 250A 100% - 230A
- Suitable for: Steel - Stainless Steel - Aluminum
- Applications:



Light workshop production

Construction / Shipyards / Railways / Trucking

Maintenance and overhaul

Bodywork

Workshops

Sheet metal working